



*Section 9 #4*

**PATENT**  
Docket No. 341/006

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

INVENTOR : David Talton.  
SERIAL NO. : 08/933,951  
FILED : September 19, 1997  
REISSUE PATENT NO. : 5,452,352  
ISSUED: : September 19, 1995  
FOR : AUTOMATIC DIALING SYSTEM  
GROUP ART UNIT : 2742

**REPLY TO NOTICE TO FILE MISSING PARTS**

ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

**ATTN: Box Missing Parts**

SIR:

Enclosed herewith are the following:

05/07/1998 MPEOPLES 00000009 110600 08933951  
01 FC:105 130.00 CH

- (1) Copy of Notice to File Missing Parts of Application, dated February 4, 1998;
- (2) Executed Declaration for Reissue Patent Application/Power of Attorney.

Applicant respectfully requests a one month Extension of Time to respond to the Notice to File Missing Parts of Application Dated February 4, 1998. The extended period expires May 4, 1998.


05/13/1998 HOLIVER 00000002 110600 08933951  
01 FC:115 110.00 CH

The Commissioner is hereby authorized to charge the fee of \$130.00, required by 37 C.F.R. § 1.16(e), to Deposit Account No. 11-0600. The Commissioner is further authorized to charge the fee of \$110.00 (37 C.F.R. § 1.17(c)) for a Petition for Extension of Time Under 37 C.F.R. § 1.136(a) and any additional fees under 37 C.F.R. § 1.16 or § 1.17 or credit any overpayment to Deposit Account No. 11-0600.

Please contact the undersigned if any questions remain with respect to the enclosed Notice.

Respectfully submitted,

Date: May 4, 1998

  
\_\_\_\_\_  
William K. Wells, Jr.  
(Reg. No. 27,042)

KENYON & KENYON  
1025 Connecticut Ave., N.W.  
Washington, D.C. 20036  
(202) 429-1776  
Fax: (202) 429-0796  
160694

FORM (401)	PATENT AND TRADEMARK OFFICE
	NOTICE OF FILING OF REISSUE APPLICATION FOR PUBLICATION IN OFFICIAL GAZETTE
ORIGINAL PATENT NUMBER	5,452,352
SERIAL NUMBER OF REISSUE APPLICATION	08 / 933951
FILING DATE	September 19, 1997
CLASS AND SUBCLASS	379 / 355
TITLE	Automatic Dialing System
INVENTOR	David Talton
OWNER OF RECORD	Inventor
ATTORNEY OR AGENT OF RECORD	Michael P Fortkort
EXAMINING GROUP ASSIGNED	2601
DATE OF ANNOUNCEMENT IN OFFICIAL GAZETTE	

108-1770.00  
109-246.00  
110-242.00

71694 U.S. PTO  
08/933951  
09/19/97

PATENT  
Docket No. 341/4

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In Re Reissue Application of: David TALTON  
Reissue of: U S. Patent No. 5,452,352  
Patented : September 19, 1995  
For: AUTOMATIC DIALING SYSTEM  
Filed: September 19, 1997  
Application No.: Unassigned  
Art Unit: Unassigned  
Examiner: Unassigned

ASSISTANT COMMISSIONER  
FOR PATENTS  
Washington, DC 20231

**REISSUE APPLICATION TRANSMITTAL**

SIR:

Transmitted herewith is the application for reissue of U.S. Patent No. 5,452,352 issued on September 19, 1995

Inventor : David TALTON  
Title : AUTOMATIC DIALING SYSTEM

Enclosed are:

1. a. 6 sheets of specification, 5 additional sheets of claims, and one sheet of abstract;  
b. No changes in the drawings, upon which the original patent was issued, are to be made; therefore, in accordance with 37 C.F.R. §1.174, please find attached 5 sheets of drawings, in the size required for original drawings, which are copies of the printed drawings of the patent;
2. Three pages of Declaration of inventor;
3. Request for a Title Report.
4. Copy of U.S. Patent No. 5,452,352

Applicant hereby offers to surrender the patent and will submit the original patent at the appropriate time before allowance of the application.

Applicant hereby affirmatively states that there is no assignee for the present patent or reissue application.

The filing fee has been calculated as shown below:

For	No Filed	No. Extra	Rate	Fee
-----	-------------	--------------	------	-----

Basic Fee .....				\$770.00
Total Claims .....	31 - 20 =	11	\$ 22.00	\$232.00
Independent Claims ..	6 - 3 =	3	\$ 80 00	\$240.00

-----  
TOTAL FEE .....


\$1,242.00

The Commissioner is hereby authorized to charge payment of the total fee of \$1,242.00 and any additional fees associated with this communication or credit any overpayment to Deposit Account No. 11-0600.

The Commissioner is further authorized to charge payment of any patent application processing fees under 37 C.F.R. §1.17 or any filing fees under 37 C.F.R. §1.16 for presentation of extra claims during the pendency of this application or credit any overpayment to Deposit Account No. 11-0600. A copy of this sheet is enclosed for that purpose.

Respectfully submitted,

Dated: 19 September 1997

  
Michael P. Fortkort  
(Reg. No. 35,141)

KENYON & KENYON  
1025 Connecticut Ave., N.W.  
Washington, DC 20036  
Tel: (202) 429-1776  
Fax: (202) 429-0796

N \DCDOCS\mpf-142163

PATENT  
Docket No. 341



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In Re Reissue Application of: David TALTON  
Reissue of: U.S. Patent No. 5,452,352  
Patented : September 19, 1995  
For: AUTOMATIC DIALING SYSTEM  
Filed: September 19, 1997  
Application No.: Unassigned  
Art Unit: Unassigned  
Examiner: Unassigned

ASSISTANT COMMISSIONER  
FOR PATENTS  
Washington, DC 20231

**REQUEST FOR A TITLE REPORT**

SIR.


Applicant hereby requests a Title Report to be provided for the above-identified reissue application, which Title Report is requested to be entered and made of record in the present reissue application.

The Commissioner is hereby authorized to charge payment of the Title Report fee of \$25.00.

The Commissioner is also hereby authorized to charge payment of any additional fees associated with this communication or credit any overpayment to Deposit Account No. 11-0600. A copy of this sheet is enclosed for that purpose.

Respectfully submitted,

Dated: 19 September 1997

  
Michael P. Fortkort  
(Reg. No. 35,141)

KENYON & KENYON  
1025 Connecticut Ave., N.W.  
Washington, DC 20036  
Tel: (202) 429-1776  
Fax: (202) 429-0796

## AUTOMATIC DIALING SYSTEM

This application is a continuation of application Ser. No. 07/496,038, filed 20 Mar. 1990 now abandoned. 5

## FIELD OF THE INVENTION

The invention relates to a credit card size micro-processor operated telephone dialer/credit card. 10

## BACKGROUND AND DISCUSSION OF THE INVENTION

To place long distance telephone calls often the telephone dialer must either reverse the charges or recall a charge number for inputting into the telephone system. 15  
Particularly for those who make a number of telephone calls, recalling these numbers can be a difficult process. Where a list of numbers is kept at a separate location the user, particularly when travelling, must locate and retrieve the appropriate number, not always 20  
an easy task.

In some airports and other high credit card use areas a few magnetic card reader type phones have been installed. Because so few of these phones exist, more than often a credit card caller must either wait in line 25  
for this special phone or he/she is forced to manually dial in the credit card number by way of the keypad on a standard phone set. The magnetic card reader phone is not practical for hotel rooms and many other general locations and therefore are never found in these desirable locations. 30

Although memory dialer systems have been developed, these have been deficient for a number of reasons. The existing units are bulky and require some knowledge of programming to be properly utilized. As a result of their large size and complications encountered in programming, few find it convenient to carry and utilize the existing remote dialers. In many cases the individuals would rather not go through the inconvenience of locating the magnetic credit card reader phones, 40  
waiting for these special phones, or the tedious task of manually dialing an access code and credit card number. Many current remote dialers will not consecutively dial the long series of access numbers required for the long distance service systems. 45

Often such systems do not accommodate the time delay properly incurred between the dialing of the telephone number and the tone for dialing in the charge number. Those systems which rely simply on a programmable delay do not adjust for a significant delay or pauses due to problems in the communication system or other defects. Under these circumstances the automatic dialer is inoperative, if the actual pause is greater than that programmed. 50

Other automatic dialers that exist in office telephones 55  
or other so-called portable systems are not small enough or sufficiently easy to use to make them as appealing as they should be to the public. Both the size and operation of automatic telephone dialer systems of the past have created impediments to their widespread use. 60

The invention described therein includes the utilization of the present phone system, almost any phone, to automatically enter one's phone system credit card number. The user would no longer need to hunt for special magnetic card reading phones. Rather the user 65  
can enjoy the same ease of operation with the phone in his hotel room, client's office, or basically any phone. The credit card number will be entered to the phone

system correctly each time, thus avoiding the tedious task of manually dialing the requisite code. One embodiment of the invention will not require any user programming. The user can receive his/her card completely pre-programmed.

Certain advantages of the invention include ease of dialing a telephone number using a charge card to input the number through the receiver of the telephone or through insertion into the charge card slot provided on certain telephones. The card has the ability to store a large number of numbers which can be retrieved as desired or dialed in sequence. This permits the user to recall numbers that he otherwise would not use because of the inability to locate the number. Where a sequence of numbers is to be dialed, the invention provides this feature as well.

Another advantage of the invention is the elimination of concurrent unauthorized use since the card can be designed without a visible number that can be readily copied. In this way the user can be ensured that while using the card no other third party can have access to his charge number. Because the number is not written elsewhere, there is no fear of losing the number so that it falls into the wrong hands and is used without permission. Should the "Universal Credit Card" be lost or stolen, the owner simply reports such and the access number would be made inactive by the appropriate company, or in the case that the user is using a PIN number, the card is inoperative. Essentially the card could be lost or stolen without the fear of fraudulent use. Industry-wide use would all but eliminate credit card fraud, currently in excess of 1.4 billion dollars.

One of the most important advantages of the invention is its size. The invention would resemble the size of an average credit card and fit in a credit card pouch of a wallet. The average person carries between three to twenty credit cards, and the invention is in this same format size. Due to the wide acceptance of the credit card the size of the invention would be readily accepted and have a place in everyone's wallet.

There are also advantages to the public phone system in that the invention will eliminate misdialings of the credit card numbers, reduce phone fraud, expedite access time, utilize more of the existing phone equipment, and eliminate the expenditure on magnetic card reading phones, ultimately reducing the cost to the consumer for phone service.

The system also reduces the delay often experienced in accessing the telephone. It eliminates wrong numbers, misdialings, wrong charge numbers and other such delays which often frustrate the use of public telephone systems.

This invention could also be used instead of the generic bank credit card or any credit card for that matter. Essentially the "Universal Credit Card" could be used for anything that the current credit cards are used for, while providing greater security to the credit card industry. The retailer or merchant can be assured that the person placing the order is authorized to use the charge card and not just ordering from a number that has been copied down, carbon copies with someone's number imprinted out or a lost or stolen card. The way the current system works, a person willing to commit credit card fraud could so for fifty-nine (59) days or more. Not until the owner recognized a dispute in his/her charges in a statement, would that person know someone was making illegal charges to their account. The merchant, the consumer, the industry, and general public all bear



this unnecessary added expense. Should the invention become the industry standard it would all but eliminate credit card fraud.

The "Universal Credit Card" will greatly simplify the credit card industry through both consolidation of the multiple cards and eliminating credit card fraud. A bank card company (i.e. Visa, Master Card), gas company, phone company, etc. will simply notify the individual his/her credit has been approved along the "Ultimate Credit Card". The owner then enters the information into the card via the keypad or the data bus. To use the card to charge, the owner must first input his personal identification number (PIN number).

One apparatus for achieving these goals is a credit card size unit having a memory, encoder, speaker, microphone and switch. In utilizing the invention as a phone card, depending on which carrier, the card is used to access an account or gain access to a phone system. The invention accesses the account via tones or signals fed through the receiver (microphone) or direct data input via a small data bus on the card. The data bus can also be used for inputting and outputting information to and from the device, and if applicable, in conjunction with the infrared source and detector.

A second apparatus for achieving these goals includes a credit card size microprocessor unit having a keypad, a microprocessor memory, an encoder, a speaking unit, a microphone as well as an alphanumeric display. The keypad permits the user to input the desired numbers, and to provide serial dialing to input new numbers and to identify the numbers as belonging to particular sources. Unlike other systems the processor is connected to a microphone and an output speaker such that the account number is not input to the telephone until the appropriate dial tone signal has been sensed by the microphone. This avoids the inefficiencies of programming a time delay as utilized in other systems. Each number that is being dialed is displayed so that the user can be sure that the correct number is being dialed in the telephone. The invention can also have a connection to an external system for inputting and outputting data to and from another source if that is desired. Typically the external bus is used for conventional credit card use (i.e. bank card), and if applicable in conjunction with a infrared source and detector.

In the two aforementioned apparatus, the microphone, speaker, and encoder may or may not be part of the design depending on the intended use of the device (i.e. the phone dialing circuitry could be eliminated in the event the manufacturer does not desire to utilize phone related capabilities).

The above has been a brief description of deficiencies in the prior art and features of the invention. Other features of the invention will become apparent to those skilled in the art from the Detailed Discussion of the Preferred Embodiment which follows.

#### BRIEF DESCRIPTION OF THE INVENTION

FIG. 1 is a schematic of the dialer/credit card of the invention.

FIG. 2 shows one side of the dialer/credit card with the keypad and display.

FIG. 3 is the reverse side of the credit card as shown in FIG. 2, the side with the speaker and microphone.

FIG. 4 is a schematic of the "Universal Credit Card", the invention.

FIG. 5 is a second schematic of the "Universal Credit Card".

FIG. 6 shows one side of the "Universal Credit Card".

FIG. 7 shows an edge view of the "Universal Credit Card."

5 FIG. 8 shows the reverse side of the "Universal Credit Card".

#### DETAILED DISCUSSION OF THE PREFERRED EMBODIMENT

0 As can be seen in FIG. 1, the apparatus includes a keypad for inputting certain information into input/output module 20. The processor 22 is connected to the input/output through control lines 26 and also is connected to memory 24 through address and data busses.  
 15 A data bus also connects input/output module to processor 22 and memory 24. The input/output module 20 is connected to input microphone 16 and separately to output speaker 18. In this way after the desired numbers have been input into the system corresponding to a  
 20 number to be used, the user can access the number by pressing the appropriate key on the keyboard. To use as a phone credit card the card is placed against the receiver and the number, through use of tones corresponding to touch tone frequencies, will be dialed into  
 25 the receiver. Only the number being dialed will be immediately input into the receiver. Once the credit card request tone is sensed by the microphone, the user charge number will then be input into the receiver again corresponding to touch tone frequencies to complete the call.

30 The card can also be used via the data bus as a phone card or regular credit card (i.e. bank credit card, etc.) in a similar manner. The card would be inserted into a phone or an input unit of a cash register/computer  
 35 allowing the charge if the appropriate PIN number has been entered.

With reference to FIG. 2, the front of the card, there is shown a display and a keypad with function keys and decimal numbers 30. In this manner the speaker and  
 40 microphone can be placed against the mouthpiece of the telephone, once the appropriate number has been selected. In another embodiment the card can have the speaker 18a and microphone 16c located on the same side of the card with the keypad and display.

45 There is also provided a sequence key 42, which enables the user to shift from one number to the next in sequencing the calls. The telephone number and identification number are shown on display 14C. For direct  
 50 dial long distance calling there is a special key 34 for this purpose. Clear key 36 is provided to clear a number from the register for inputting a new number. Scroll keys 46 and 56 are provided and operate with the micro-processor to scroll through the numbers until the desired number is obtained. By pressing the scroll keys 46  
 55 and 56 the name, address and corresponding data will be displayed simultaneously or sequentially by the display means on the face of the card. A sequence key 42 is provided to dial several numbers in sequence. Starting with a particular number and inputting according to the  
 60 sequence key, numbers will continue to be dialed until a particular connection is made. A local dialing key 37 is provided to eliminate the area code for local dialing. Finally, an enter key 40 is provided for inputting new data.

65 Once the data has been properly input into the system, it can be used in the following manner. The user presses the sequence key until the desired data is displayed on display 14C. This is the data that will be input

to the system once operated properly. In utilizing the device as a phone card, the card's speaker is placed over the mouthpiece of the receiver and the user then presses the direct long distance dial key, if it is a long distance number. After a programmed delay period the number will be dialed using the tones according to a touch tone system. Once the number is completed the system will stop until the appropriate tone which identifies the need for the account number is sensed by microphone 16c. Once the tone is sensed, the speaker 18a will then be actuated to input the account number using the touch tone system.

Where a number of numbers are to be dialed until a connection is made, the sequence key 42 can be operated. In this system the sequence key is initially pressed and the card will automatically seek the next set of data. If no data is stored in a particular block, the sequence addressing step will move to the next block of data until a number is located. At this point the operation of the program will stop until a direct call is dialed or the sequence key is again pressed. Dialing would be accomplished again as discussed above. Similarly, rather than automatically sequencing, the user can scroll to the desired number by pressing the scroll key 46 and 56.

To change a number or an identification the processor is operated to arrive at a particular data location. This data is cleared by actuating clear key 36 and a new identification number and telephone number is input using the decimal keys 30. Once the desired number has been input the enter key is hit to place it in memory.

With scroll keys 46 and 56 the user can input the identification numbers, actuating the scroll keys until the data corresponding to the identification number is found.

As can be seen by FIG. 4, another embodiment of the apparatus includes switch 60 that activates the microprocessor with memory 62 that in turn outputs to speaker 58. The microprocessor 62 is connected to an input/output bus 64. In utilizing this device as a phone card, after the card has been preprogrammed, the user can place the speaker 58 over the receiver and press switch 60 activating the microprocessor outputting to the speaker 58. The speaker emits the touch tone frequencies corresponding to the user's account number thus allowing access to the phone system or completing the dialing procedure. The input/output bus 64 could be used for programming the card or outputting information directly to a phone system, cash register, or computer.

As seen in FIG. 5, the apparatus consists of a switch 80 connected to a clock 81 and a shift register 82 that outputs via databus 83 to the encoder 87 that in turn outputs to speaker 88. In this way after the card has been preprogrammed the user can place the speaker 88 over the receiver and press switch 80 activating the clock and shift register outputting to the encoder 87 in turn outputting to the speaker 88, or place the card on the receiver and when the credit card request tone is sensed by the microphone 86 the input/output circuitry 84 activating the clock 81 and shift register 82 outputting to the encoder 87 in turn outputting to the speaker 88. The speaker emits touch tone frequencies corresponding to the user's account number thus allowing access to the phone system or completing the dialing procedure. The input/output bus 84 could be used for programming the card or outputting information directly to the phone system, cash register, or computer.

The actual size of the device to house the elements discussed above is shown in FIGS. 6, 7 and 8. The card 90 as shown has a typical credit card configuration with the logo and other information on front 92. The near side 93 includes the microphone and speaker that can be made small enough not to significantly interfere with the thickness as shown. These elements can be embedded in the card and the circuit board to reduce the amount of space required.

The above has been a detailed discussion of the preferred embodiment of the invention. The full scope of invention to which Applicant is entitled is defined in the claims which follow and their equivalents. The specification should not be interpreted to unduly narrow the scope of invention to which Applicant is otherwise entitled.

What is claimed is:

1. An electronic credit card and direct dialing device comprising:
  - a case of a size and shape to fit in the user's wallet corresponding to the size of a credit card and to be held in hand during use or inserted into a corresponding input device;
  - a keyboard on said device comprising alphanumeric keys for numerals 0 to 9 and letters A to Z and function keys;
  - alphanumeric display means in said case with a capacity for displaying a plurality of telephone numbers, credit card numbers and other data;
  - read-write memory circuit means in said case for storing and retrieving data items comprising selected ones of said credit card numbers, said telephone numbers, and identification, said memory circuit having a capacity for storing a plurality of data items under a multiplicity of identification names as memory addresses;
  - said storing means controlled by said alphanumeric keys and functions keys for feeding to said memory circuit means said data items including said selected ones of said telephone numbers, said credit card numbers, and said identification to be stored and for identifying the names under which said items are to be stored;
  - retrieving means controlled by said alphanumeric keys and said functions keys for retrieving said data items stored by said memory circuit means including means for designating the name under which the desired data items are stored and for displaying by display means said name and said data items stored under the designated name; and
  - means for imparting a first audio signal identified by a telephone for dialing one of said telephone numbers;
  - means for sensing a dial tone and request tones from said telephone, said means for sensing capable of sensing said dial tone and request tones from an earpiece of said telephone when said device is located at a mouthpiece of said telephone; and
  - means for automatically actuating said means for imparting a second audio signal corresponding to a charge number upon sensing said dial tone from said telephone, said second audio signal being imparted to said telephone to complete a call.
2. The device according to claim 1 wherein said retrieving means comprises retrieving a name by inputting a mnemonic address of said name by said keyboard and means for sequencing from one name to another when

two or more names having the same mnemonic address have been stored.

3. The device according to claim 1 wherein said storing means comprises means for replacing data stored under a name by another data item.

4. The device according to claim 1 wherein said storing means includes means for storing additional data under said names under which previous data has been stored.

5. The device according to claim 1 wherein said retrieving means includes protective means requiring inputting of a secret code in order to retrieve said data.

6. The device according to claim 1 further comprising means for storing data items at a memory address and for retrieving said data items by inputting said address.

7. The device according to claim 1 further comprising a calculating circuit means in said device for performing mathematical calculations under the control of said keyboard and for displaying the results of said calculations by said display means, and switch means for shifting between calculating mode of operation and teaddress mode of operation.

8. The device according to claim 1 wherein said retrieving means includes means for converting retrieved data representing one of said telephone numbers into a sequence of dialing tones receivable by a telephone system to actuate switching gear to make a connection with the telephone of a person whose name has been inputted by said keyboard.

9. The device according to claim 8 wherein said converting means comprises touch tone signal generating means receiving said retrieved data, a wave shaper receiving output of said generating means, an audio amplifier for amplifying an output of said wave shaper, and a speaker driven by said amplifier.

10. The device according to claim 1 further comprising input/output bus for programming said device.

11. The device according to claim 10 further comprising an input/output bus for outputting information directly into a phone system or a credit card system.

12. An electronic credit card and direct dialing device comprising:

a case of a size to fit in the user's wallet corresponding to the size of a credit card and to be held in hand during use or inserted into a corresponding input device;

read/write memory circuit in said case for storing and outputting data corresponding to credit card preselected information;

means for feeding data to the memory corresponding to a plurality of account numbers or access numbers to be stored;

means for sensing a dial tone and request tones from a telephone, said means for sensing capable of sensing said dial tone and request tones from an earpiece of said telephone when said device is located at a mouthpiece of said telephone;

a speaker;

means for imparting an audio signal from said speaker identified by a phone system for dialing a telephone

number, inputting data, and entering selected ones of said account or access numbers;

means for automatically actuating an audio signal corresponding to a charge number upon sensing said dial tone from said telephone, said audio signal being imparted to said telephone to complete a call; a data bus; and

retrieving means for retrieving said data stored by said memory to be output to said speaker or data bus.

13. The device according to claim 12 wherein said retrieving means includes means for converting said retrieved data into a sequence of dialing tones receivable by a telephone system for at least one of the following: to complete said call, to access a desired telephone system, and to make use of a credit card account.

14. The device according to claim 13 wherein said converting means comprises touch tone signal generating means receiving said retrieved data, a wave shaper receiving an output of said generating means, an audio amplifier for amplifying an output of said wave shaper, and said speaker being driven by said amplifier.

15. The device according to claim 12 further comprising input/output bus for programming said device.

16. The device according to claim 15 further comprising an input/output bus for outputting information directly into a phone system or a credit card system.

17. An electronic credit card sized direct dialing device comprising:

a case of a size to fit in a user's wallet corresponding to the size of a credit card and to be held in hand during use or inserted into a corresponding input device;

a shift register memory for storing data;

a clock connected to said shift register for imparting a clock signal thereto;

a switch connected to said shift register and to said clock for actuating said clock and said shift register to shift data out of said shift register;

means for sensing a dial tone and request tones from a telephone, said means for sensing capable of sensing said dial tone and request tones from an earpiece of said telephone when said device is located at a mouthpiece of said telephone;

means for actuating an audio signal corresponding to a charge number upon sensing said dial tone from said telephone, said audio signal being imparted to said telephone to complete a call; and

an encoder in operative connection with said shift register for converting a signal from said shift register to signals to operate a speaker for emitting touch tone frequencies corresponding to a user's account number.

18. The device according to claim 17 further comprising input/output bus for programming said device.

19. The device according to claim 18 further comprising an input/output bus for outputting information directly into a phone system or a credit card system.

20. The device according to claim 17 further comprising a printed circuit board wherein said shift register, said clock, said means for sensing the dial tone, said means for actuating an audio signal and said encoder are embedded on the printed circuit board to minimize size.

\* \* \* \* \*

1        21. A credit card sized communications device comprising:  
2        a credit card sized housing insertable into a computer and couplable to a  
3 telephone, said credit card sized housing including:  
4            a) a processor;  
5            b) a plurality of control lines being coupled to the processor;  
6            c) a data bus coupled to the processor;  
7            d) an address bus coupled to the processor;  
8            e) a memory coupled to the processor via the data bus and the address  
9 bus, wherein the processor retrieves data over the data bus from the memory  
10 by specifying an address over the address bus, and stores data in the memory  
11 by transmitting the data over the data bus to the memory and by specifying  
12 the address over the address bus;  
13            f) an input/output port couplable to a computer and to a telephone  
14 network, said input/output port being coupled to the processor via the data  
15 bus and a plurality of control lines, transmitting data to and from the  
16 processor via the data bus, and receiving data from and transmitting data to  
17 the computer and telephone network, said input/output port controlled by the  
18 processor via the plurality of control lines, wherein said processor outputs a  
19 plurality of access signals to the input/output port upon detecting an available  
20 access signal from the telephone network and then waits until receiving an  
21 additional signal from the telephone network via the input/output port before  
22 sending additional data signals to the telephone network via the input/output  
23 port.

1        22. The device according to claim 21, wherein the input/output port further  
2 comprises a microphone and a speaker that transmit audible signals to and from a  
3 telephone handset to access the telephone network.

1        23. The device according to claim 21, wherein the processor receives access  
2 data from the computer and at least temporarily stores the access data in the memory.

1        24. The device according to claim 21, wherein the processor is  
2        programmable from an external source with access data.

1        25. The device according to claim 21, wherein the additional data signals  
2        include account information and the additional signal includes a request signal.

1        26. An electronic credit card sized direct dialing device comprising:  
2        a case of a size and shape corresponding to the size and shape of a credit  
3        card to be inserted into a computer;  
4        an output unit disposed in the case and outputting a first signal identifiable by  
5        a telephone network as a telephone number;  
6        an input unit disposed in the case and receiving an available access signal and  
7        a request signal from the telephone network;  
8        a bus disposed in the case;  
9        a processor disposed in the case and coupled to the output unit and the input  
10       unit via the bus;  
11       said input unit receiving access data and storing the access data in memory;  
12       and  
13       said processor retrieving the access data from memory and sending them to  
14       the telephone network in response to detecting the available access signal.

1        27. A method for automatically dialing a telephone number from a computer  
2        comprising the steps of:  
3        a) inserting a credit card sized dialer into the computer and coupling the dialer  
4        to a bus in the computer;  
5        b) receiving a telephone number for dialing in the dialer via an input/output  
6        port in the card;  
7        c) storing the telephone number in the dialer;  
8        d) outputting the telephone number to a telephone network in response to  
9        receiving an access signal via the input/output port on the dialer;  
10       e) waiting after outputting the telephone number for a response from the  
11       telephone network;



12            f) outputting additional data to the telephone network via the input/output  
13 port on the dialer upon receiving the response from the telephone network in step e).

1            28. The method according to claim 27, further comprising the steps of:  
2            g) transmitting audible signals from the dialer to a telephone handset to access  
3 the telephone network; and  
4            h) receiving audible signals from the telephone handset with the dialer.

1            29. The method according to claim 27, further comprising the steps of:  
2            g) receiving access data from the computer in the dialer; and  
3            h) storing at least temporarily the access data in memory in the dialer.

1            30. The method according to claim 27, further comprising the step of:  
2            g) programming the processor from an external source with telephone  
3 numbers and access data.

1            31. The method according to claim 27, further comprising the steps of:  
2            g) transmitting account information upon detection of a request signal from  
3 the telephone network.

#### ABSTRACT

The invention relates to a credit card dialing apparatus for use in automatically dialing account numbers, security codes and phone numbers into telephones. The apparatus includes a credit card size device having a memory, encoder, speaker, microphone and switch embedded into a circuit board for inputting and outputting specific information depending on the use of the card. The circuit described accesses the account by tones or signals fed through the receiver or direct data input from a small databus. In another embodiment, a microprocessor unit having a keyboard, microprocessor memory, encoder, a speaker unit and microphone as well as an alphanumeric display is utilized. This system permits the user to input the desired numbers and provide serial dialing and identification for particular sources.



#4

DECLARATION  
FOR REISSUE PATENT APPLICATION

As the below-named inventor, I hereby declare that my residence, post office address and citizenship is as stated below, next to my name; that I verily believe that I am the original, and first and sole inventor of the subject matter which is claimed in Letters Patent 5,452,352, and for which a **broadening** reissue patent is sought on the invention entitled AUTOMATIC DIALING SYSTEM, the specification of which was originally filed on March 20, 1990, received U.S. Application Serial Number 07/496,038, now abandoned, was continued in U.S. Application Serial Number 07/928,163 filed on August 13, 1992, which issued as U.S. Patent Number 5,452,352 on September 19, 1995.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I verily believe the original patent to be fully or partially inoperative, or invalid by reason of claiming less than we had a right to claim in the patent.

The subject matter presented in the newly added claims herein are directed to subject matter which is patentable over the prior art, of which I am aware and which is presently of record.

Through error without deceptive intent, I claimed less than I had a right to claim. This error was discovered after the issuance of this patent.


I hereby appoint KENYON & KENYON and William K. Wells, Jr.  
(Reg. No. 27,042), John C. Altmiller (Reg. No. 25,951), Frank V. Pietrantonio  
(Reg. No. 32,289), Michael P. Fortkort (Reg. No. 35, 141), Edward Brake (Reg. No. 37,784),

Robert Auchter (Reg. No. 38,069), Barry Goldsmith (Reg. No. 39,690), Robert Hails (Reg. No. 39,702), John Kacvinsky (Reg. No. 40,040), Gary Morris (Reg. No. 40,735), Brian Mudge (Reg. No. 40,738), Patrick Buckley (Reg. No. 40,928) and Chris Hutter (Reg. No. 41,087) as attorneys with full power of substitution and revocation to prosecute this application, to transact all business in the U.S. Patent & Trademark Office in connection therewith and to receive all correspondence.

SEND ALL CORRESPONDENCE TO:  
KENYON & KENYON  
William K. Wells, Jr.  
1025 Connecticut Avenue, Suite 600  
Washington, D.C. 20036

DIRECT ALL TELEPHONE CALLS TO:  
William K. Wells, Jr.  
202-429-1776 (voice)  
202-429-0796 (facsimile)

I hereby declare that all statements made herein on my own knowledge are true and that all statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful statements may jeopardize the validity of the application or any patent issued thereon.



Date: February 28, 1998

David Talton  
9819 Courthouse Road  
Vienna, Virginia  
Citizenship: U.S.A.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5






FIG. 6




FIG. 7




FIG. 8